



Mimi Ohio Technical Specifications

Stage Door: 1629 Dodge Ct, Cleveland, OH 44114 - **24 Hr. Receiving Address (Central Security):** 1650 Chester Ave, Cleveland OH 44114

Stage Specifications:

Seating Capacity: 1001

Proscenium opening: (41'-3" w X 24'-2" h)

Grid Height: (64'-3")

Apron Lip to:

- Plaster Line - (4'-4")
- House Curtain - (5'-9")
- Line Set #1 - (5'-11 1/2")
- Last Line Set #51 - (40'-4")
- Upstage Wall - (42'-6")

Plaster Line to:

- Last Line Set #: (36'-0")
- Up Stage Wall: (38'-9")
- Down Stage Edge of Freight Elevator : (31'-4")
- Balcony Rail: (44'-0")
- Box Boom #1: (6'-9") & Box Boom #2: (23'-8")
- Lighting Bridge #1: (51'-2")
- Lighting Bridge #2: (70'-2")
- Booth: (100'-0")
- Last row of seats Orchestra level: - (65'-0")
- Last row of seats Balcony level: - (95'-0")

Number of Battens: 51

Length of Battens: (48'-0")

Baten Extensions: (4'-0")

Number of spot Sheaves: 30

Distance between Battens:

- Line Sets 1-13, 16-39, 41-51: (0'-8")
- Line Sets 14 & 15: (1'-6")
- Line Sets 39 & 40: (1'-4")

Travel of Battens: (57'-0")

Last Lineset (#51) to Up Stage Wall: (2'-4")

Weight Capacity: (1,000lbs)

Loading Dock Door: (9'-0" h X 8'-0" w)

Stage Level Door: (9'-0" h X 8'-3" w) - (+14'-8") from street level

Freight Elevator: (6'-0" w X 23'-0") - (4,500lbs) capacity

Orchestra Pit: (34'-9" w X 12'-6" d)

- Max number of musicians is 20 with stands & instruments

Stage Specifications:

Stage Right Wing: (20'-7 1/2") from Center Line

Center Line to Stage Right Wall: (35'-4")

Stage Left Wing: (20'-7 1/2") from Center Line

Center Line to Stage Left Fly Rail: (15'-4")

Stage Deck to:

- Bottom of Valance: - (24'-8")
- Lowest Catwalk: (35'-0")
- Loading Bridge Pin Rail: (SL): (71'-0")
- Pin Rail: (SL): (35'-0")
- Audience Floor: (-3'-6")
- Orchestra Floor: (-8'-2") @ Playing Height
- Balcony Rail: (15'-0")

House Soft Goods:

Legs: - 12 @ (12'-9" w X 30'-0" h)

Borders: - 6 @ (52'-0" w X 10'-0" h)

Drops:

- 1- Black & 1- White Scrim @ (52'-0" w X 30'-0" h)
- 1- black/2-panel @ (52'-0" w X 30'-0" h) - (26'-0" ea.)
- 1 Blackout @ (52'-0" w X 30'-0" h)
- 1 Cyclorama @ (52'-0" w X 32'-0" h) - natural muslin

PDF Drawings are available at:

<https://www.playhousesquare.org/about-playhousesquare-main/rent-our-spaces/stage-and-theatrical-specs>

Playhouse Square Production Department Contact List:

Director of Production: Penny Zaletel (216) 640-8546
(Penny.Zaletel@playhousesquare.org)

Sr. Production Manager: Jody Dagg (216) 640-8548
(Jody.Dagg@playhousesquare.org)

Production Manager: Tony Hanf (216) 640-8670
(Tony.Hanf@playhousesquare.org)

Technical Project Manager: Liam Roth (216) 329-0344
(Liam.Roth@playhousesquare.org)

Production Manager: Heather Cochran (216) 373-135
(Heather.Cochran@playhousesquare.org)

Production Supervisor: Daniel Zilka (216) 373-3711
(Daniel.Zilka@playhousesquare.org)



Mimi Ohio Technical Specifications

Stage Door: 1629 Dodge Ct, Cleveland OH 44114- **24 Hr. Receiving Address (Central Security):** 1650 Chester Ave, Cleveland OH 44114

House Audio:

House Audio Console: Yamaha DM7-EX

- (2) Yamaha RIO3224-DS

Mixing Position: (65'-0") from Plaster Line

Center Line Array: Nexo 4x4 amps

- (10) Nexo Geo S805 speakers

House Right Line Array: Nexo 4x4 amps

- (10) Nexo Geo S805 speakers

House Left Line Array: Nexo 4x4 amps

- (10) Nexo Geo S805 speakers

Front Fills: Nexo 4x1 amps

- (5) Nexo PS8 speakers

Under Balcony: Crown DCi 4-300

- (6) Renkus-Heinz SR62H speakers

House Left Box Boom #1 : Nexo 4x1 amps

- (3) Nexo Geo S805 speakers

House Left Box Boom #2 : Nexo 4x1 amps

- (1) Nexo Geo S805 speakers

House Right Box Boom #1 : Nexo 4x1 amps

- (3) Nexo Geo S805 speakers

House Right Box Boom #2 : Nexo 4x1 amps

- (1) Nexo Geo S805 speakers

Monitors: Nexo 4x4 amps

- (8) Nexo PS15 Speakers

2-Channel Clear-Com Stage & Paging System

Subwoofers: Nexo 4x1 amp & Crown MacroTech 800

- (2) Nexo RS18 Subwoofers
- (2) JBL 18" Subwoofer

Piano Inventory:

(1) - 7ft Steinway Model M Piano

Microphone Inventory:

10	Shure SM58	2	Shure QLXD4 - Beta 58	1	EV RE20
10	Shure SM57	4	AT Pro45	1	Whirlwind PCDI
2	EV CS15E	4	Countryman DI	1	Radial Stage-Bug
1	AKG-C461E	4	Sennheiser 421		Crown PZM
1	Shure Beta 91	2	Sennheiser 441	2	DPA 4099

Risers Inventory:

Wenger: (Folding legs & Interlocking):

- (6) 4'-0" X 8'-0" @ 8"h
- (6) 4'-0" X 8'-0" @ 16"h

House Lighting Equipment:

Theatre is contracted with House Plot unless noted, contact Director of Production for details.

Spotlights: (2) Lycian SuperArc 400 1266

Inventory:

(3) - VARILITE VL2600 Profiles (Enhanced 47 Channel)

(18) - ETC ColorSource Fresnel V (Direct 9 Channel)

- Barndoors available for all fixtures

(6) - 10° ETC Source 4 LED Series 3

(6) - 14° ETC Source 4 LED Series 3

(16) - 26° ETC Source 4 LED Series 3

(8) - 36° ETC Source 4 LED Series 3

(26) - Strand SL 10° ellipsoidal 575w

(48) - Strand SL 19° ellipsoidal 575w

(60) - Strand SL 26° ellipsoidal 575w

(38) - Strand SL 36° ellipsoidal 575w

(8) - Chroma-Q Color Force II 72 (Upon Request)

(8) - Booms *Upon request, booms are not standard in House Plot

Lighting Control: ETC Ion Console

Dimmers: (324) 2.4kw & (8) 6kw

- (2) Johnson Systems CD80PM-AE available
- (4) CD80 Non Dim

Road Power Services: (Three-Phase)

- Up Stage Left: (1) 400amp
- Up Stage Right: (1) 200amp

Mimi Ohio Technical Specifications

Lineset Schedule & Notes


LINESSET	HOUSE HANGING PLOT	FM 0'-0"	NOTES/ROAD HANG
1	BORDER	1'-7 1/2"	
2	LEGS	2'-5"	
3	ELECTRIC #1	3'-1"	
4		3'-9"	
5		4'-5"	
6		5'-1"	
7		5'-9"	
8		6'-5"	
9		7'-1"	
10	BORDER	7'-9"	
11	LEGS	8'-5"	
12		9'-1"	
13	ELECTRIC #2	9'-9"	
14		10'-5"	
15		11'-11"	
16		12'-7"	
17	BORDER	13'-3"	
18	LEGS	13'-11"	
19		14'-7"	
20	ELECTRIC #3	15'-3"	
21		15'-11"	
22		16'-7"	
23		17'-3"	
24	ELECTRIC #4	17'-11"	
25	BORDER	18'-7"	
26		19'-3"	
27	SPLIT TRAVELLER	19'-11"	
28	BORDER	20'-7"	
29	LEGS	21'-3"	
30		21'-11"	
31		22'-7"	
32		23'-3"	
33	ELECTRIC #5	23'-11"	
34		24'-7"	
35		25'-3"	
36	ELECTRIC #6	25'-11"	
37		26'-7"	
38		27'-3"	
39	BORDER	27'-11"	
40	LEGS	28'-8"	
41		29'-4"	
42		30'-0"	
43		30'-8"	
44		31'-4"	
45		32'-0"	
46	WHITE CYCLORAMA	32'-8"	
47		33'-4"	
48	FULL STAGE BLACK DROP	34'-0"	
49		34'-8"	
50		35'-4"	
51		36'-0"	



Playhouse Square®

Mimi Ohio Technical Specifications

Production Map



Mimi Ohio Technical Specifications

Loading Dock & Stage Door photos

