



# Outcalt Technical Specifications

**Stage Door:** 1410 Dodge Ct, Cleveland, OH 44114 - **24 Hr. Receiving Address (Central Security):** 1650 Chester Ave, Cleveland OH 44114

## Stage Specifications:

### Seating Capacity:

- Arena: (328)
- Thrust: (312)
- Runway: (220)
- End Stage: (207)

### Stage Deck to:

- Bottom of Catwalk: (21'-5")
- Top of Pipe Grid: (42'-7")
- Seating Bridge: (10'-2")

### Plaster Line to Upstage Wall: (16'-4")

### Plaster Line to Seating Bridge: (51'-1") Center Stage

### Upstage Wall to Seating Bridge: (67'-2") Center Stage

### Center Line to Stage Left Fly Rail: (34'-2")

### Center Line to Stage Right: (31'-0")

### Number of Battens: (15)

### Length of Battens: (50'-0")

### Distance between Battens: (0'-9")

### Travel of Battens: (31'-6")

### Last Lineset (#) to Up Stage Wall: (3'-6")

### Weight Capacity: (1,000lbs)

### Loading Dock Door: (9'-6" w X 10'-0" h)

### Elephant Door: (9'-3" w X 16'-0" h)

## House Audio:

### House Audio Console: Yamaha CL5

- (1) Aviom Pro 64 Digital Snake

### House Amplifiers :

- (7) QSC RMX2450
- (3) QSC RMX 1450
- (2) Crown XLI 3500

### House Speakers: Hanging points from Grid

- (10) QSC KW122
- (2) QSC KW181

## Microphone Inventory

6	Shure SM57	6	Shure SM58	
---	------------	---	------------	--

## House Lighting Equipment:

- (18) - ETC Source Four 19° -575w
- (70) - ETC Source Four 26° -575w
- (50) - ETC Source Four 36° -575w
- (24) - ETC Source Four 50° -575w
- (30) - ETC Source Four PAR -575w
- (24) - ETC Source Four PARnel -575w
- (24) - PAR 64 -1kw

**Lighting Control:** ETC Ion Xe 20 - 12,288 Outputs

**Dimmers:** (396) 2.4k via (5) ETC SR48

## House Soft Goods:

- Legs:**
- 6 @ (10'-0" w X 20'-9" h)
  - 6 @ (10'-0" w X 20'-9" h) Black Webbing
  - 6 @ (10'-0" w X 30'-0" h) Black Webbing
  - 4 @ (10'-0" w X 25'-0" h) Black Webbing
- Borders:** - 4 @ (50'-0" w X 6'-0" h)
- Drops:**
- 1- Black Scrim @ (48'-0" w X 20'-10" h)
  - 1- Black Scrim @ (45'-0" w X 30'-0" h)
  - 2- Blackouts @ (27'-0" w X 20'-9" h)
  - 2- Blackouts @ (23'-0" w X 30'-0" h)
  - 2 - Main Curtains @ (27'-0" w X 20'-9" h)
  - 2 - Cycloramas @ (48'-0" w X 20'-10" h) - natural muslin

## PDF Drawings are available at:

<https://www.playhousesquare.org/about-playhousesquare-main/rent-our-spaces/stage-and-theatrical-specs>

## Playhouse Square Production Department Contact List:

**Director of Production:** Penny Zaletel (216) 640-8546  
([Penny.Zaletel@playhousesquare.org](mailto:Penny.Zaletel@playhousesquare.org))

**Sr. Production Manager:** Jody Dagg (216) 640-8548  
([Jody.Dagg@playhousesquare.org](mailto:Jody.Dagg@playhousesquare.org))

**Production Manager:** Tony Hanf (216) 640-8670  
([Tony.Hanf@playhousesquare.org](mailto:Tony.Hanf@playhousesquare.org))

**Technical Project Manager:** Liam Roth (216) 329-0344  
([Liam.Roth@playhousesquare.org](mailto:Liam.Roth@playhousesquare.org))

**Production Manager:** Heather Cochran (216) 373-135  
([Heather.Cochran@playhousesquare.org](mailto:Heather.Cochran@playhousesquare.org))

**Production Supervisor:** Daniel Zilka (216) 373-3711  
([Daniel.Zilka@playhousesquare.org](mailto:Daniel.Zilka@playhousesquare.org))



# Outcalt Technical Specifications

## Circuit Plot

Position	Qty	Circuit #	Position	Qty	Circuit #
Catwalk 1	48	169-216	SR Jump	6	271-278
Catwalk 2	48	121-168	SL Batten Mults (DS)	24	301-324
Catwalk 3	48	73-120	SL Batten Mults (MS)	24	325-348
Catwalk 4	48	25-72	SL Batten Mults (US)	24	349-372
Catwalk 5	48	1-24	Stage Level East Wall	12	279-288
East Catwalk	24	217-240	Stage Level West Wall	12	289-300
West Catwalk	24	247-270	Stage Level North Wall	12	373-384
SL Jump	6	241-246	Trap Room	12	385-396

# Technical Specifications

## Lineset Schedule & Notes

<u>LINESSET #</u>	<u>POSITION</u>	<u>DESCRIPTION</u>	<u>NOTES</u>
	0'-0"	PLASTER LINE	
1	1'-2"		
2	1'-11"		
3	2'-8"		
4	3'-8"		Electric Winch
5	4'-11"		
6	5'-8"		
7	6'-5"		
8	7'-2"		
9	7'-11"		
10	8'-8"		
11	9'-5"		
12	10'-2"		
13	10"-11"		
14	11'-8"		
15	12'-5"		



# Playhouse Square®

## Outcalt Technical Specifications

### Production Map

